

La mejor manera para comprar el equipo de IT que necesitas para hacer crecer tu negocio

TORRES **PRECIO IMBATIBLE**

Ref:	P70335-425	P75207-425	P74439-425	P71385-425	P71387-425	P77232-425	P71647-425
	HPE ProLiant MicroServer Gen10 Plus	HPE MicroServer Gen11	HPE MicroServer Gen11	HPE ProLiant ML30 Gen11	HPE ProLiant ML30 Gen11	HPE ProLiant ML30 Gen11	HPE ProLiant ML110 Gen11
PVP sin I.V.A.	965€	1.615€	936€	1.476€	1.795€	2.054€	2.385€
Formato	Ultra Micro Tower	Ultra Micro Tower	Ultra Micro Tower	4U Tower	4U Tower	4U Tower	4.5U Tower
Procesador/Cores	Intel Xeon E-2314 FIO CPU for HPE (4C/2.8G/65W)	Intel Xeon E-2434 Quad-Core (3.40GHz 8MB) FIO CPU for HPE	Intel Pentium G7400 Dual-Core (3.70GHz 6MB) FIO CPU for HPE	Intel® Xeon® E-2414 (4 core, 2.6 GHz, 55W)	Intel® Xeon® E-2434 (4 core, 3.4 GHz, 55W)	Intel Xeon E-2434 3.4GHz 4-core 55W FIO Processor for HPE	Intel Xeon3508U (8 core, 2.1 GHz, 125W)
Memoria RAM	2x 16GB 1Rx8 PC4-3200AA-E STND Kit	32GB (1 x 32GB) 4800MHz UDIMM	16GB (1 x 16GB) 4800MHz UDIMM	1 x 32 GB (1x32 GB UDIMM, 4800 MT/s)	1 x 32 GB (1x32 GB UDIMM, 4800 MT/s)	32GB (1x32GB) Dual Rank x8 DDR5-4800	32 GB (1x32 GB , 5600 MT/s)
Disco duro preinstalado	2x 1TB SATA 7.2K LFF RW MV HDD	1 x HPE 4TB 6G 7.2k rpm SATA (3.5in) Non-Hot Plug Standard	1 x HPE 1TB 6G 7.2k rpm SATA (3.5in) Non-Hot Plug Hard Drive	2 x HPE 1TB SATA 7.2K LFF RW MV HDD	2x 480GB SATA SSD	2x 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD	2x 2TB SATA 7.2K LFF LP MV HDD
Controladora Smart Array	Intel VROC SATA SW RAID	Intel VROC SATA SW RAID	Intel VROC SATA SW RAID	Intel VROC SATA software RAID	Intel VROC SATA software RAID	Intel VROC SATA SW RAID	Intel VROC SATA software RAID
Fuente de alimentación	1x 180W External Power Adapter	1 x HPE MicroServer 180W External Power Adapter	1 x HPE MicroServer 180W External Power Adapter	1x HPE ML30 Gen10 Plus 350W FIO Power Supply Kit	1x HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	1x HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestión	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download).	(No Licence) / (Advanced) / No OneView or Insight Control	(No Licence) / (Advanced) / No OneView or Insight Control	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download); HPE iLO Advanced and HPE OneView Advanced (require licenses)	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download); HPE iLO Advanced and HPE OneView Advanced (require licenses)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download).
Garantía	1-1-1	1-1-1	1-1-1	3-1-1	3-1-1	3-1-1	3-3-3

Ref:	P71659-425	P77234-425	P71671-425	P77233-425	P78243-425
	HPE ProLiant ML110 Gen11	HPE ProLiant ML110 Gen11	HPE ProLiant ML350 Gen11	HPE ProLiant ML350 Gen11	HPE ProLiant ML350 Gen11
PVP sin I.V.A.	3.351€	2.516€	4.181€	4.329€	5.229€ NUEVO Incluye WS25
Formato	4.5U Tower	4.5U Tower	4U Tower	4U Tower	4U Tower
Procesador/Cores	INT Xeon-S 4510 CPU for HPE (12c/2.4GHz/150w)	Intel Xeon-Silver 4510 2.4GHz 12-core 150W Processor for HPE	Intel Xeon-Silver 4510 2.4GHz 12-core 150W	Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor for HPE	Intel Xeon-Silver 4510 (12c/2.4GHz/150w)
Memoria RAM	64 GB (2x32 GB , 5600 MT/s)	32 GB (1x32 GB , 5600 MT/s)	64 GB (2x32 GB , 5600 MT/s)	64GB (2x32GB) Dual Rank x8 DDR5-5600	64GB (2x32GB) Dual Rank x8 DDR5-5600
Disco duro preinstalado	2x 480GB SATA RI SFF BC MV SSD	2x 4TB SATA 6G Business Critical 7.2K LFF LP Multi Vendor HDD	2x 960GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	2x 2.4TB SAS 12G Mission Critical 10K SFF BC HDD	2 x HPE 480GB SATA RI SFF BC MV SSD
Controladora Smart Array	1x HPE MR408i-o Gen11 SPDM Storage Cntrlr	Intel VROC SATA SW RAID	1x HPE MR408i-o Gen11 SPDM Storage Cntrlr	MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM	HPE MR408i-o Gen11 SPDM Storage Cntrlr
Fuente de alimentación	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestión	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download).	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download); HPE iLO Advanced and HPE OneView Advanced (require licenses)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence)
SW					MS WS25 16C Std FIO Npi WW SW MS WS25 5Usr CAL WW LTU
Garantía	3-3-3	3-3-3	3-3-3	3-1-1	3-3-3



No te olvides y completa tu servidor con el soporte HPE Smart Choice al mejor precio:

	Precio PVP desde
Microserver	92€
ML30	160€
ML110	252€
ML350	581€

RACKS INTEL

Ref:	P71375-425	P78087-425	P78179-425	P77243-425	P78088-425	P78092-425	P80510-425
	HPE ProLiant DL20 Gen11	HPE ProLiant DL20 Gen11	HPE ProLiant DL20 Gen11	HPE ProLiant DL320 Gen11	HPE ProLiant DL320 Gen11	HPE ProLiant DL320 Gen11	HPE ProLiant DL320 Gen11
PVP sin I.V.A.	1.809€	1.739€	1.555€	3.667€	11.363€	8.101€	3.667€ NUEVO
Formato	1U Rack	1U Rack	1U Rack	1U Rack	1U Rack	1U Rack	1U Rack
Procesador/Cores	Intel® Xeon® E-2436 6-Core	Intel Xeon E-2434 Quad-Core (3.40GHz 8MB) FIO CPU for HPE	Intel Xeon E-2434 Quad-Core (3.40GHz 8MB) FIO CPU for HPE	Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor for HPE	Intel Xeon-G 6530 CPU for HPE	Intel Xeon-G 5416S CPU for HPE	Intel Xeon-Silver 4510 (12c/2.4GHz/150W)
Memoria RAM	1 x 32 GB (1x32 GB UDIMM, 4800 MT/s)	32GB (1 x 32GB) 4800MHz UDIMM	32GB (1 x 32GB) 4800MHz UDIMM	64 GB (2x32GB) Dual Rank x8 DDR5-5600	128GB (2 x 64GB) 5600MHz RDIMM	64GB (2 x 32GB) 4800MHz RDIMM	64GB - 2x32GB 2Rx8 PC5-5600B-R Smart Kit
Disco duro preinstalado	2x 480GB SATA SSD	2 x HPE 480GB SATA 6G RI SFF (2.5in) BC SSD	2 x HPE 2TB 6G 7.2K rpm HPL SATA LFF (3.5in) Low Profile MDL HDD	2 x HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	3 x HPE 2.4TB SAS 12G HDD 2 x HPE 1.92TB SATA 6G Mixed Use SFF SSD	3 x HPE 2.4TB SAS 12G HDD 2 x HPE 1.92TB SATA 6G Mixed Use SFF SSD	2x HPE 480GB SATA RI SFF BC MV SSD
Controladora Smart Array	Intel VROC SATA software RAID	1 x Intel VROC SATA Software RAID	1 x Intel VROC SATA Software RAID	MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM	1 x HPE MR416i-o Gen11 12G Tri-Mode Controller Kit	1 x HPE MR416i-o Gen11 12G Tri-Mode Controller Kit	HPE MR408i-o Gen11 SPDM Storage Cntrlr
Fuente de alimentación	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	1 x HPE DL20 Gen10 290W Platinum FIO Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestión	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download).	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence)	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence)	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence)	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence)
Garantía	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3

Ref:	P71373-425	P77128-425	P77171-425	P71673-425	P77237-425	P77236-425	P77247-425
	HPE ProLiant DL360 Gen10	HPE ProLiant DL360 Gen10 Plus	HPE ProLiant DL360 Gen10 Plus	HPE ProLiant DL360 Gen11	HPE ProLiant DL360 Gen11	HPE ProLiant DL360 Gen11	HPE ProLiant DL360 Gen11
PVP sin I.V.A.	3.141€	2.813€	2.905€	3.919€	4.338€	4.500€	4.034€
Formato	1U Rack	1U Rack	1U Rack	1U Rack	1U Rack	1U Rack	1U Rack
Procesador/Cores	Intel Xeon 4208 (8 core, 2.1 GHz, 85W)	Intel Xeon-Silver 4309Y 2.80GHz 8-core 105W Processor for HPE	Intel Xeon-Silver 4309Y 2.80GHz 8-core 105W Processor for HPE	Intel Xeon-Silver 4510 2.4GHz 12-core 150W	Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor for HPE	Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor for HPE	Intel Xeon-Silver 4510 2.4GHz 12-core 150W Processor for HPE
Memoria RAM	64 GB (2x32 GB , 2933 MT/s)	64GB (2 x 32GB) 3200MHz	64GB (2 x 32GB) 3200MHz	64 GB (2x32 GB, 5600 MT/s)	64 GB (2x32GB) Dual Rank x8 DDR5-5600	128GB (4x32GB) Dual Rank x8 DDR5-5600	64 GB (2x32GB) Dual Rank x8 DDR5-5600
Disco duro preinstalado	2x HPE 960GB SATA MU SFF SC MV SSD	2 x HPE 480GB SATA 6G Read Intensive SFF (2.5in) Basic Carrier Multi Vendor SSD	2 x HPE 2.4TB SAS 12G Mission Critical 10K SFF (2.5in) Basic Carrier 512e ISE HDD	2x HPE 960GB SATA RI SFF BC MV SSD	2 x HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Ninguno Instalado	2x HPE 2.4TB SAS 12G Mission Critical 10K SFF BC Multi Vendor HDD
Controladora Smart Array	1x HPE Smart Array P408i-a SR Gen10 Cntrl	HPE Microchip SR416i-a Controller for HPE Gen10+	HPE SR416i-a Gen10 Plus x16 Lanes 4GB Cache NVMe/SAS 24G Controlle	1x HPE MR408i-o Gen11 SPDM Storage Cntrlr	MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM	1x HPE NS204i-u Gen11 NVMe Hot Plug Boot Optimized Storage Device	MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM
Fuente de alimentación	2x HPE 800W FS Ti Ht Plg LH Pwr Sply Kit	2 x HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	2 x HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestión	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download).	HPE Integrated Lights-Out 5 (iLO 5) management processor (No Licence) / (Advanced)	HPE Integrated Lights-Out 5 (iLO 5) management processor (No Licence) / (Advanced)	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download).	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)
Garantía	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3

RACKS INTEL

Ref:	P71674-425	P71675-425	P71383-425	P77170-425
	HPE ProLiant DL380 Gen11	HPE ProLiant DL380 Gen11	HPE ProLiant DL380 Gen10	HPE ProLiant DL380 Gen10 Plus
PVP sin I.V.A.	4.033€	4.260€	3.286€	2.999€
Formato	2U Rack	2U Rack	2U Rack	2U Rack
Procesador/Cores	Intel Xeon-Silver 4510 2.4GHz 12-core 150W	Intel Xeon-Silver 4510 2.4GHz 12-core 150W	Intel Xeon Silver 4210R (10 core, 2.40 GHz, 13.75 MB L3, 100W)	Intel Xeon-Silver 4309Y 2.80GHz 8-core 105W Processor for HPE
Memoria RAM	64 GB (2x32 GB, 5600 MT/s)	64 GB (2x32 GB, 5600 MT/s)	64 GB (2x32 GB , 2933 MT/s)	64GB (2 x 32GB) 3200MHz
Disco duro preinstalado	2x 960GB SATA RI SFF BC MV SSD	2x HPE 8TB SATA 7.2K LFF LP 512e MV HDD	2x HPE 1.92TB SAS RI SFF SC VS MV SSD	2 x HPE 480GB SATA 6G Read Intensive SFF (2.5in) Basic Carrier Multi Vendor SSD
Controladora Smart Array	1x HPE MR408i-o Gen11 SPDM Storage Cntrlr	HPE MR416i-p Gen11 SPDM Storage Cntrlr	HPE Smart Array P408i-a SR Gen10 x8 Lanes 2GB Cache SAS 12G Modular Controller	HPE Microchip SR416i-a Controller for HPE Gen10+
Fuente de alimentación	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	2 x HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit
Gestion	HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download).	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE Integrated Lights-Out 5 (iLO 5) management processor (No Licence) / (Advanced)
Garantía	3-3-3	3-3-3	3-3-3	3-3-3

Ref:	P77235-425	P77242-425	P77241-425	P77996-425
	HPE ProLiant DL380 Gen11	HPE ProLiant DL380 Gen11	HPE ProLiant DL380 Gen11	HPE ProLiant DL380 Gen11
PVP sin I.V.A.	4.693€	4.555€	5.164€	5.226€ NUEVO Incluye WS25
Formato	2U Rack	2U Rack	2U Rack	2U Rack
Procesador/Cores	Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor for HPE	Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor for HPE	Intel Xeon-Gold 6526Y 2.8GHz 16-core 195W Processor for HPE	Intel Xeon-Silver 4510 2.4GHz 12-core 150W
Memoria RAM	64 GB (2x32GB) Dual Rank x8 DDR5-5600	128GB (4x32GB) Dual Rank x8 DDR5-5600	128GB (4x32GB) Dual Rank x8 DDR5-5600	64GB - 2x 32GB 2Rx8 PC5-5600B-R Smart Kit
Disco duro preinstalado	2x HPE 2.4TB SAS 12G Mission Critical 10K SFF BC Multi Vendor HDD	Ninguno Instalado	Ninguno Instalado	2x 2.4TB SAS 10K SFF BC 512e MV HDD
Controladora Smart Array	MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM	HPE NS204i-u Gen11 NVMe Hot Plug Boot Optimized Storage Device	HPE NS204i-u Gen11 NVMe Hot Plug Boot Optimized Storage Device	HPE MR416i-o Gen11 SPDM Storage Cntrlr
Fuente de alimentación	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestion	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence)
SW				MS WS25 16C Std FIO Npi MS WS25 5Usr CAL WW LTU
Garantía	3-3-3	3-3-3	3-3-3	3-3-3



 **No te olvides y completa tu servidor con el soporte Smart Choice al mejor precio:**

	Precio PVP desde
DL20	160€
DL320	496€
DL360 G10 / G10+	561€
DL360 G11	661€
DL380 G10 / G10+	645€
DL380 G11	781€

RACKS AMD

Ref:	P79814-425	P79815-425	P77252-425	P77239-425	P77238-425	P77248-425
	HPE ProLiant DL145 Gen11	HPE ProLiant DL145 Gen11	HPE ProLiant DL325 Gen11	HPE ProLiant DL325 Gen11	HPE ProLiant DL345 Gen11	HPE ProLiant DL345 Gen11
PVP sin I.V.A.	3.022€ NUEVO	3.578€ NUEVO	4.566€	5.261€	4.865€	4.978€
Formato	2U Rack	2U Rack	1U Rack	1U Rack	2U Rack	2U Rack
Procesador/Cores	AMD EPYC 8024P CPU for HPE (8c/2.4-3.0GHz/90w)	AMD EPYC 8124P CPU for HPE (16c/2.45-3.0GHz/125w)	IAAMD EPYC 9124 3.0GHz 16-core 200W Processor for HPE	AMD EPYC 9224 2.5GHz 24-core 200W Processor for HPE	AMD EPYC 9124 3.0GHz 16-core 200W Processor for HPE	AMD EPYC 9124 3.0GHz 16-core 200W Processor for HPE
Memoria RAM	1x 32GB 2Rx8 PC5-4800B-R Smart Kit	64GB - 2 x 32GB 2Rx8 PC5-4800B-R Smart Kit	64GB (2x32GB) Dual Rank x8 DDR5-4800	2x HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	64GB (2x32GB) Dual Rank x8 DDR5-4800	64GB (2x32GB) Dual Rank x8 DDR5-4800
Disco duro preinstalado	Ninguno	Ninguno	2x HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Ninguno Instalado	2x HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	2 x HPE 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD
Controladora Smart Array	HPE NS204i-u Gen11 Ht Plg Boot Opt Dev	HPE NS204i-u Gen11 Ht Plg Boot Opt Dev	MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM	MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM	HPE MR416i-p Gen11 x16 Lanes 8GB Cache PCI SPDM Plug-in	HPE MR416i-p Gen11 x16 Lanes 8GB Cache PCI SPDM Plug-in
Fuente de alimentación	2x HPE DL110 900W-1000W Flexible Slot Titanium Hot Plug AC Power Supply Kit	2x HPE DL110 900W-1000W Flexible Slot Titanium Hot Plug AC Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestion	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)
Garantía	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3

Ref:	P78090-425	P78091-425	P77245-425	P77244-425
	HPE ProLiant DL365 Gen11	HPE ProLiant DL365 Gen11	HPE ProLiant DL385 Gen11	HPE ProLiant DL385 Gen11
PVP sin I.V.A.	5.505€	5.646€	5.147€	4.863€
Formato	1U Rack	1U Rack	2U Rack	2U Rack
Procesador/Cores	AMD EPYC 9124 3.0GHz 16-Core 200W Processor Kit for HPE	AMD EPYC 9224 2.5GHz 24-Core 200W Processor Kit for HPE	AMD EPYC 9124 3.0GHz 16-core 200W Processor for HPE	AMD EPYC 9124 3.0GHz 16-core 200W Processor for HPE
Memoria RAM	64GB (2 x 32GB) 4800MHz RDIMM	64GB (2 x 32GB) 4800MHz RDIMM	64GB (2x32GB) Dual Rank x8 DDR5-4800	64GB (2x32GB) Dual Rank x8 DDR5-4800
Disco duro preinstalado	2 x HPE 480GB SATA 6G Read Intensive SFF (2.5in) Basic Carrier Multi Vendor SSD	2 x HPE 480GB SATA 6G Read Intensive SFF (2.5in) Basic Carrier Multi Vendor SSD	2x HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Ninguno Instalado
Controladora Smart Array	1x HPE MR408i-o Gen11 SPDM Storage Controller	1 x HPE MR408i-o Gen11 SPDM Storage Controller	MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM	HPE NS204i-u Gen11 NVMe Hot Plug Boot Optimized Storage Device
Fuente de alimentación	x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	2x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestion	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence)	HPE iLO Standard with Intelligent Provisioning (embedded)	HPE iLO Standard with Intelligent Provisioning (embedded)
Garantía	3-3-3	3-3-3	3-3-3	3-3-3



No te olvides y completa tu servidor con el soporte Smart Choice al mejor precio:

	Precio PVP desde
DL325 / 345 G11	715€
DL365 G11	661€
DL385 G11	781€

Ref:	P55639-421	P55637-421	P55640-421	P55641-421	P55638-421	P70278-421	P70279-421
	Ahorro HPE Flex Offers			Ahorro HPE Flex Offers		Ahorro HPE Flex Offers	
PVP sin I.V.A.	1.942€	2.008€	2.556€	2.624€	2.119€	2.888€	2.964€
Formato	Torre	Torre	Torre	Torre	Torre	Torre	Torre
Procesador/Cores	1 x Intel Xeon-B 3408U CPU for HPE 8cores	1 x Intel Xeon-B 3408U CPU for HPE 8cores	1 x Intel Xeon-S 4410Y CPU for HPE	Intel Xeon-G 5416S 16-Core (2.00GHz 30MB)	1 x Intel Xeon-B 3408U 8-Core	1 x Intel Xeon-S 4510 12-Core (2.40GHz 30MB)	1 x Intel Xeon-S 4514Y 6-core (2.00 GHz, 30 MB L3, 150W)
Número máximo	1	1	1	1	1	1	1
Memoria RAM	32GB (1 x 32GB) 4800MHz	16GB	32GB (1 x 32GB) 4800MHz	32GB (1 x 32GB) 4800MHz RDIMM	16GB (1 x 16GB) 4800MHz RDIMM	32GB (1 x 32GB) 5600MHz RDIMM	32GB (1 x 32GB) 5600MHz RDIMM
Disco duro preinstalado	Sin discos	Sin discos	sin discos	sin discos	1 x HPE 4TB 6G 7.2K rpm HPL SATA LFF (3.5in) Low Profile MDL (Max.4)	Ninguno Instalado -8 x Hot Plug 2.5in SFF BC	Ninguno Instalado -8 x Hot Plug 2.5in SFF BC
Controladora Smart Array	Intel® VROC Software RAID.	Intel® VROC Software RAID.	Intel® VROC Software RAID.	HPE Smart Array E208e-p SR Gen10 Controller	1 x Intel VROC SATA Software RAID	1 x HPE MR408i-o Gen11 SPDM Storage Controller	1 x HPE MR408i-o Gen11 SPDM Storage Controller
DVD	no	no	no	no	no	no	no
Fuente de alimentación	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestión	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control"	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control"	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control"	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control
Garantía	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3

Disponible desde **1.942€**



Soporte HPE
Recomendado



H40DRE
HPE 3Y TC Bas
ML110 Gen 11 HW SVC
275€
PVP sin I.V.A.



H40FWE
HPE 5Y TC Bas
ML110 Gen 11 HW SVC
511€
PVP sin I.V.A.

→ **¿Buscas un servidor de torre asequible con fiabilidad y rendimiento empresariales para satisfacer los requisitos de tu negocio?**

El servidor HPE ProLiant ML110 Gen11 ofrece un procesador de torre con rendimiento, expansión y seguridad a un precio asequible. Es compatible con los procesadores escalables Intel Xeon de 4.ª generación, la memoria HPE DDR5 Smart Memory con una capacidad máxima de 1024 GB, 4 ranuras PCIe Gen5 x16, 1 ranura OCP3x16 y ocho unidades de disco LFF o 16 SFF. Puede convertirse fácilmente en un rack utilizando 5,5U de espacio de rack. El servidor HPE ProLiant ML110 Gen11 también ofrece ventilador opcional redundante y fuente de alimentación redundante para satisfacer las necesidades de recuperación automática ante fallos.



Ref:	P53567-421	P53569-421	P53565-421	P53571-421	P55954-421	P70195-421	P70196-421
		Ahorro HPE Flex Offers	Ahorro HPE Flex Offers	Ahorro HPE Flex Offers	Ahorro HPE Flex Offers	Ahorro HPE Flex Offers	Ahorro HPE Flex Offers
PVP sin I.V.A.	3.273€	4.160€	2.753€	4.577€	3.939€	3.327€	3.628€
Formato	Torre	Torre	Torre (4U)	Torre (4U)	Torre (4U)	Torre (4U)	Torre (4U)
Procesador/Cores	1 x Intel Xeon-S 4410Y CPU for HPE (12Cores)	1 x Intel Xeon-S 4416+ CPU for HPE (20Cores)	1 x Intel Xeon-S 4410Y 12-Core	1 x Intel Xeon-G 5418Y 24-Core	1 x Intel Xeon-G 5416S 16-Core	1 x Intel Xeon-Silver 4509Y 2.6GHz 8-Core 125W Processor	1 x Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor
Número máximo	2	2	2	2	2	2	2
Memoria RAM	32GB (1 x 32GB) 4800MHz	32GB (1 x 32GB) 4800MHz	32GB (1 x 32GB) 4800MHz	32GB (1 x 32GB) 4800MHz	32GB (1 x 32GB) 4800MHz	32GB (1 x 32GB) 5600MHz RDIMM	32GB (1 x 32GB) 5600MHz RDIMM
Disco duro preinstalado	No	No	Ninguno Instalado - 4 x Hot Plug 3.5in LFF Low Profile	Ninguno Instalado - 8 x Hot Plug 2.5in SFF Basic Carrier (NVMe)	Ninguno Instalado - 8 x Hot Plug 2.5in SFF Basic Carrier (NVMe)	Ninguno Instalado - 8 x Hot Plug 2.5in SFF Basic Carrier (NVMe)	Ninguno Instalado - 8 x Hot Plug 2.5in SFF Basic Carrier (NVMe)
Controladora Smart Array	MR408i-o	MR408i-o	Intel VROC SATA controller	1 x Tri-Mode Basic Carrier MR408i-o	1 x Tri-Mode Basic Carrier MR408i-o	1 x HPE MR408i-o Gen11 SPDM Storage Controller	1 x HPE MR408i-o Gen11 SPDM Storage Controller
DVD	No	No	no	no	no	no	no
Fuente de alimentación	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestión	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control"	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control
Garantía	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3	3-3-3

Disponibles desde **2.753€**



Soporte HPE
Recomendado



H93R4E
HPE 3Y TC Bas ML350 Gen 11 HW SVC
753€
PVP sin I.V.A.



H93T8E
HPE 5Y TC Bas ML350 Gen 11 HW SVC
1.426€
PVP sin I.V.A.

→ Seguridad de confianza gracias al diseño: protección sin compromisos y fundamental

El HPE ProLiant ML350 Gen11 es un potente servidor de torre 2P con un chasis en bastidor opcional para diversos entornos. Asimismo, ofrece un rendimiento de computación excepcional, seguridad, fiabilidad y capacidad de expansión. Con procesadores Intel® Xeon® Scalable de 4.ª generación de hasta 60 núcleos¹, hasta 8 TB DDR5, PCIe Gen5, compatibilidad mejorada para E/S y GPU¹, y almacenamiento EDSFF, el servidor HPE ProLiant ML350 Gen11 satisface una amplia gama de exigentes cargas de trabajo .

Las soluciones de inversión en TI de HPE le ayudan a dar el salto a una empresa digital con la economía de TI para alinearse con sus objetivos empresariales.

→ Novedades principales

Mayor ancho de banda de memoria, rendimiento y menores requisitos energéticos con hasta 8 TB de memoria DDR5 y 32 ranuras DIMM.

Altas tasas de transferencia de datos desde el bus de expansión PCIe Gen5 de serie, con hasta 10 ranuras PCIe Gen5 estándares y 2 ranuras OCP 3.0 slots².



Top Value Offers Compute

Ref:	P70456-421	P70457-421	P70458-421
	Ahorro HPE Flex Offers	Ahorro HPE Flex Offers	Ahorro HPE Flex Offers
PVP sin I.V.A.	3.177€	3.885€	3.980€
Formato	Rack (2U)	Rack (2U)	Rack (2U)
Procesador/Cores	1 x Intel Xeon-Silver 4509Y 2.6GHz 8-Core 125W Processor	1 x Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor	1 x Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor
Número máximo	2	2	2
Memoria RAM	32GB (1 x 32GB) 5600MHz RDIMM	32GB (1 x 32GB) 5600MHz RDIMM	32GB (1 x 32GB) 5600MHz RDIMM
Disco duro preinstalado	Ninguno Instalado - 8 x Hot Plug 2.5in SFF Basic Carrier (NVMe)	Ninguno Instalado - 8 x Hot Plug 2.5in SFF Basic Carrier (NVMe)	Ninguno Instalado - 12 x Hot Plug 3.5in Large Form Factor Low Profile
Controladora Smart Array	1 x HPE MR408i-o Gen11 SPDM Storage Controller	1 x HPE MR408i-o Gen11 SPDM Storage Controller	1 x HPE MR416i-p Gen11 12G Tri-Mode Controller Kit
DVD	no	no	no
Fuente de alimentación	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit	1 x HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
Gestión	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control	HPE Integrated Lights-Out 6 (iLO 6) management processor (No Licence) / (Advanced) / No OneView or Insight Control
Garantía	3-3-3	3-3-3	3-3-3



Soporte HPE

Recomendado



H93F8E
HPE 3Y TC Bas DL380
Gen11 HW SVC

1.190€

PVP sin I.V.A.



H93J2E
HPE 5Y TC Bas DL380
Gen11 HW SVC

1.816€

PVP sin I.V.A.

Disponibles desde

3.177€

→ ¿Buscas una solución de servidor escalable de doble zócalo para tus cargas de trabajo de gran capacidad y uso intensivo de datos?

El servidor HPE ProLiant DL380 Gen11 es una solución escalable 2P que ofrece una excepcional capacidad de expansión del rendimiento de computación y escalabilidad para distintas cargas de trabajo y entornos al precio de 1P. Con procesadores Intel Xeon Scalable de 4.ª generación con hasta 60 núcleos, ancho de banda de memoria incrementado y PCIe Gen5 E/S de alta velocidad, el servidor HPE ProLiant DL380 Gen11 es una solución escalable 2U/2P de doble zócalo perfecta.

La raíz de confianza de silicio afianza el firmware del servidor en un ASIC exclusivo de HPE, lo que crea una huella para el procesador Intel Xeon Scalable que debe coincidir a la perfección antes de que el servidor arranque.



ROK



Windows Server 2025
Be cloud ready with hybrid

Licencias base Windows Server 2025 **NUEVO**

La edición adecuada según el tamaño, el centro de datos y los requisitos de virtualización de su organización.

Descripción / SKU	PVP	Ahorro HPE Flex Offers
Windows Server 2025 CAL RDS P77121-B21	780€	%
Windows Server 2025 CAL RDS P77120-B21	1.182€	%
Windows Server 2025 CAL P77112-B21	261€	%
Windows Server 2025 CAL P77114-B21	516€	%
Windows Server 2025 CAL P77116-B21	2.481€	%
Windows Server 2025 CAL P77113-B21	178€	%
Windows Server 2025 Datacenter P77101-A21	4.948€	%
Windows Server 2025 Essential P77103-A21	376€	%
Windows Server 2025 Standard P77100-A21	964€	%

→ PREGUNTAS FRECUENTES

Descubre las preguntas más frecuentes que pueden ayudarte en tu día a día [Click aquí](#)

→ ENLACES DE INTERÉS

Compatibilidades [Click aquí](#)

Licencias adicionales Windows Server 2025 **NUEVO**

¿Necesitas licenciar más cores o desplegar más máquinas virtuales?

Descripción / SKU	PVP	Ahorro HPE Flex Offers
Windows Server 2025 Datacenter (2 cores) P77109-B21	624€	%
Windows Server 2025 Datacenter (4 cores) P77108-B21	1.242€	%
Windows Server 2025 Standard (16 cores) P77104-B21	1.090€	%
Windows Server 2025 Standard (2 cores) P77106-B21	142€	%

Licencias adicionales Windows Server 2022

¿Necesitas licenciar más cores o desplegar más máquinas virtuales?

Descripción / SKU	PVP	Ahorro HPE Flex Offers
Windows Server 2022 Standard (16 cores) P46195-B21	914€	
Windows Server 2022 Standard (4 cores) P46196-B21	232€	
Windows Server 2022 Standard (2 cores) P46199-B21	115€	%
Windows Server 2022 Datacenter (16 cores) P46212-B21	4.159€	
Windows Server 2022 Datacenter (4 cores) P46213-B21	1.045€	
Windows Server 2022 Datacenter (2 cores) P46214-B21	522€	

CAL USUARIO

USUARIO	EDICIÓN	PN	PVP	Ahorro en HPE Flex Offers
5	WS2022	P46215-B21	214€	
10	WS2022	P46217-B21	425€	
50	WS2022	P46219-B21	2.066€	

CAL DISPOSITIVO

DISPOSITIVO	EDICIÓN	PN	PVP	Ahorro en HPE Flex Offers
5	WS2022	P46216-B21	165€	

RDS CAL

USUARIO	EDICIÓN	PN	PVP	Ahorro en HPE Flex Offers
RDS CAL SUSR EMEA	WS2022	P46221-B21	796€	

DISPOSITIVO	EDICIÓN	PN	PVP	Ahorro en HPE Flex Offers
RDS CAL SDEV EMEA	WS2022	P46222-B21	644€	